



# NTN BEARING MANUFACTURING DE MEXICO,S...



1.5 Inch | 38.1 Millimeter x 1.937 Inch | 49.2 Millimeter x 2.126 Inch | 54 Millimeter SKF P2B 108-TF Pillow Block Bearings

Bearing No. P2B 108-TF

P2B 108-TF Bearing 2D drawings and 3D CAD models

Category	Pillow Block Bearings
Inventory	4.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	1.93
EAN	7316577345035
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-Expansion
Mounting Bolts	1/2 Inch
Relubricatable	Yes
Insert Part Number	YAR 208-108-2F
Seals	Single Lip Contact
Housing Configuration	1 Piece Solid
Inch - Metric	Inch
Other Features	Flinger Seal
Long Description	2 Bolt Pillow Block; 1-1/2" Bore; 2.126" Base to Center Height; Set Screw Mount; Ball Bearing; Relubricatable; Cast Iron; Single Lip Contact; Non-expansion



# NTN BEARING MANUFACTURING DE MEXICO,S...

Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Weight / LBS	4.6305
Nominal Bolt Center to Center	5.4 Inch   137.2 Millimeter
d	1.5 Inch   38.1 Millimeter
Bolt Spacing Minimum	5.094 Inch   129.388Millimeter
Bolt Spacing Maximum	5.719 Inch   145.263Millimeter
B	2.126 Inch   54 Millimeter
Actual Bolt Center to Center	0 Inch   0Millimeter
D	1.937 Inch   49.2 Millimeter
mounting:	Two-Bolt Base
finish/coating:	Uncoated
bore diameter:	1.5000 in
overall width:	1-15/16 in
bore type:	Round
radial dynamic load capacity:	6910 lbf
base to bore centerline:	1.9375 in
radial static load capacity:	4280 lbf
duty type:	Normal Duty
base width:	48 mm
housing material:	Cast Iron
bolt center-to-center length:	135.5 mm
locking device:	Set Screw
maximum rpm:	4800 RPM
seal type:	Contact/Lip



## NTN BEARING MANUFACTURING DE MEXICO,S...

lubrication type:	Lubrication Fitting
expansion type:	Non-Expansion Bearing (Fixed)
series:	SY
overall length:	175 mm
replacement bearing:	YAR 208-108-2F
overall height:	99 mm
standards met:	ISO