



# NTN BEARING MANUFACTURING DE MEXICO,S...

1.938 Inch | 49.225 Millimeter x 2.031 Inch |  
 51.587 Millimeter x 2.25 Inch | 57.15 Millimeter  
 SKF P2B 115-TF Pillow Block Bearings



P2B 115-TF Bearing 2D drawings and 3D CAD models

Bearing No. P2B 115-TF

Category	Pillow Block Bearings
Inventory	13.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	2.8
EAN	7316577345233
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-Expansion
Mounting Bolts	5/8 Inch
Relubricatable	Yes
Insert Part Number	YAR 210-115-2F
Seals	Single Lip Contact
Housing Configuration	1 Piece Solid
Inch - Metric	Inch
Other Features	Flinger Seal
Long Description	2 Bolt Pillow Block; 1-15/16" Bore; 2-1/4" Base to Center Height; Set Screw Mount; Ball Bearing; Relubricatable; Cast Iron; Single Lip Contact; Non-



# NTN BEARING MANUFACTURING DE MEXICO,S...

	expansion
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Weight / LBS	5.9535
Actual Bolt Center to Center	0 Inch   0Millimeter
Bolt Spacing Maximum	6.5 Inch   165.1Millimeter
D	2.031 Inch   51.587 Millimeter
d	1.938 Inch   49.225 Millimeter
B	2.25 Inch   57.15 Millimeter
Bolt Spacing Minimum	6 Inch   152.4Millimeter
Nominal Bolt Center to Center	6.3 Inch   160 Millimeter
mounting:	Two-Bolt Base
finish/coating:	Uncoated
bore diameter:	1.9375 in
overall width:	2-1/32 in
bore type:	Round
radial dynamic load capacity:	7900 lbf
base to bore centerline:	2.2500 in
radial static load capacity:	5220 lbf
duty type:	Normal Duty
base width:	54 mm
housing material:	Cast Iron
bolt center-to-center length:	157 mm
locking device:	Set Screw
maximum rpm:	4000 RPM



## NTN BEARING MANUFACTURING DE MEXICO,S...

seal type:	Multi-Purpose
lubrication type:	Lubrication Fitting
expansion type:	Non-Expansion Bearing (Fixed)
series:	SY
overall length:	203 mm
replacement bearing:	YAR 210-115-2F
overall height:	114 mm
standards met:	ISO